

# PFD'S, BAGS, BOOTS & SUNGLASSES

Inflatable PFD	657
SOLAS, Coastal & Standard PFD	659
Oceantot PFD	659
Oceanmate, Coastmate PFD	660
Wakemaster PFD	661
Coastracer PFD	663
Blademate, Blademaster & Bladepro PFD	663-664
Waterproof Bags	664
Wet Suit Boots & Sneakers	664
Barz Sunglasses & Accessories	665-668



# **PFDs Definition**

### PFD Level 150 and 100

PFD (Personal Flotation Device) Level 150, is one that complies with the requirements of the Australian Standards approval code 4758-150. To comply with these standards the garment must be



suitable for use in offshore applications and provide a high level of buoyancy, maintaining the wearer in a safe floating position, i.e. with the body inclined

backwards from the vertical with the nose and mouth clear of the water. Although similar in functionality the Level 100 PFD is generally recommended for use in pleasure boats which may occasionally venture beyond sheltered waters or where the wearer may be at risk of sustaining injuries which may impede the wearer's ability to swim. Some State Authorities require these jackets to be worn in certain situations or by determined age. Ensure to consult your State Authority for full details and requirements.

#### PFD Level 50

A PFD Level 50 garment is one that complies with the requirements of the Australian Standards approval code 4758-50. It is required to provide sufficient buoyancy to assist the wearer to maintain his or her head above water, but not as much as a PFD Level 100 or 150 lifejacket. It is less bulky than a PFD Level 100 or 150, making it more suitable for



applications when the wearer needs to move around or swim. A PFD Level 50 is generally recommended for dinghy sailors, kayakers, and similar, who are required to wear a PFD for extended periods of time. Ensure to consult your State Authority for full details and requirements.

#### PFD Level 50S

A PFD Level 50S garment is one that complies with the requirements of the Australian Standards approval code 4758-50S. It provides a similar amount of buoyancy to that of a PFD Level 50, but is permitted to carry a wider range of style colours. PFD Level 50S are generally recommended for use by water skiers and jet skiers in sheltered waters where assistance is immediately at hand. Ensure to consult your



State Authority for full details and requirements.

#### **General Comments:**

A Personal Flotation Device will help you float in the water, but it cannot guarantee safety or protection from drowning.

#### Special Protection for Children:

Pay special attention to children - It is difficult for a child to float in a face up position because of the distribution of body mass and because the child may tend to panic in an unfamiliar environment. However, a properly designed PFD of the correct size will keep a child's mouth and nose clear of the water. A child should be taught how to put on the PFD and be encouraged to become familiar with its feel in the water. It is important that the child is comfortable and understands what the PFD is for and how it works.

#### Manual and Automatic Inflatable PFDs

Fully approved to the new Australian Standard 4758-1 these slim, easy to wear 150N multi-fit jackets are suitable for a wide range of boating activities. The inflatable bladder features welded seams with a PVC heavy duty protective cover over the UML Pro Sensor CO<sup>2</sup> cylinder and firing mechanism. The annual service schedule remains unchanged with a recording chart conveniently printed on the inflation bladder.

For protection and easy display all inflatable jackets are supplied in a clear plastic fronted re-usable hang sell storage bag with mesh back and Velcro closure.

The UML Pro Sensor firing mechanism meets regulations by clearly showing whether the cylinder has been previously used. Previously used cylinders that have been screwed into the mechanism or fired cylinders will show red through the sight window, allowing for quick and easy identification.



UML Pro Sensor mechanism indicating the cylinder has not been used.

BLA



UML Pro Sensor mechanism indicating the cylinder has been previously used.

The UML Pro Sensor does not require firing identification clips which need to be replaced on older types after use. Order re-arming kits **241068** for manual and **241069** for auto.





Neoprene comfort collar



Meshed Baa

# **BLA PFD** - Inflatable Auto Level 150



Inflatable PFD Level 150, automatically activated 150N inflatable bladder, approved to AS4758-150. Slim and designed for continuous wear, this PFD is ideal for all recreational boating. Inflatable body features 5mm radio frequency welded seams with a heavy duty PVC protective cover over the CO² cylinder and firing mechanism. The 38mm wide, webbing back strap includes a heavy duty adjustable side release buckle. An oral inflation tube, whistle and 25mm "D" ring lanyard attachment point are also included. This PFD will automatically inflate if the wearer enters the water. It can also be orally inflated by blowing into the oral inflation tube or manually inflated by pulling on the "rip cord". If inflated by any method other than the oral inflation tube, the jacket needs to be re-armed before it can be put back into service. An annual service record chart is printed on the inflation bladder. Inflatable youth to suit 25 to 50kg.





BLA Code	Description	Colour
241052	Inflatable auto youth PFD Level 150	Navy
241062	Inflatable auto navy adult PFD Level 150	Navy
241112	Inflatable auto high viz adult PFD Level 150	High Viz

#### Accessories:

241069 Rearming kit 150N auto



# **BLA PFD** - Inflatable Manual Level 150



241068

Inflatable PFD Level 150 manually activated 150N inflatable PFD, approved to AS4758-150. Slim, multi-fit design is suitable for continuous wear. Inflatable body features 5mm radio frequency welded seams with a heavy duty PVC protective cover over the CO² cylinder and firing mechanism. The outer 420 denier nylon cover is printed with clean care, donning and inflation instructions. The 38mm wide, webbing back strap includes a heavy duty adjustable side release buckle. An oral inflation tube, whistle and 25mm 'D' ring lanyard attachment point are also included. An annual service record chart is printed on the inflation bladder. Inflatable youth to suit 25 to 50kg.



Code	2000 Phot	Coloui
241050	Inflatable manual youth PFD Level 150	Navy
241058	Inflatable manual camo adult PFD Level 150	Camoflouge
241060	Inflatable manual navy adult PFD Level 150	Navy
241061	Inflatable manual gunmetal adult PFD Level 150	Gunmetal
241110	Inflatable manual high viz adult PFD Level 150	High Viz

Accessories:

241068 Rearming kit 150N manual



BLA

# **BLA PFD** - solas

An offshore SOLAS approved jacket conforming and constructed to International Shipping Laws and Australian Survey regulations SOLAS74/78 as amended, LSA Code as amended by MSC.207(81), MSC.81(70) as amended by MSC.200(80).

The jacket is constructed of soft closed cell foam enclosed in a hard wearing rescue orange outer material. This compact SOLAS jacket features an easy and quick front entry design and is equipped with two snap lock buckles for superior safety and comfort.

Other features and benefits include a soft foam collar for in water neck support, pealess whistle for attracting rescuers, reflective tape, light attachment point, hand leash and grab strap. Supplied in sealed plastic bag.



	BLA Code	Size	Recommended Weight kg	
	241005	SOLAS Child	15-43	
	241006	SOLAS Adult	43 & over	9
:::				



241010

# SOLAS Approved

# **BLA PFD**

#### - Coastal Jacket Level 150/100

Approved to EN396 for use in coastal waters on fare carrying vessels. Closed cell foam buoyancy encased in a tough nylon rescue orange material. USL (Uniform Shipping Law) compliant for use nationally. Supplied standard with pealess whistle, reflective tape, light attachment point and securing straps. Square design for compact storage. Suits person 40kg or more.



N.B. \*The 241008 is for replacement use only. For new survey build the 241010 is required. Ensure to consult your State Authority for full details and requirements.

150N

# **BLA PFD** - Standard Level 100

Inexpensive and made of closed cell foam

buoyancy encased in a nylon/polyester woven material. Jackets dry quickly due to the material's properties and are of a square design for compact storage. Supplied with a snap lock buckle for fast fit. Complies with AS4758-100.



BLA Code	Size	Recommended Weight kg
241022	Adult large	40 & over
241024	Child impior	15 10

# BLA PFD - Oceantot Level 100

Specifically designed for infants and

Adult (multi fit)

toddlers, this foam PFD Level 100 maximises the comfort and safety of small children. Quick release buckles at the shoulder enable the jacket to be fitted to the child with minimum discomfort. The large head supporting collar folds back to avoid restricting the child's movement. The large foam front panel is contoured to the child's body shape and is designed to maximise comfort when sitting. A wide V-shaped neoprene crotch strap and side release buckle ensures a secure fit. Neoprene side gussets with adjustable webbing strap provide flexibility as the child grows. Approved to AS4758-100.



BLA Code	Size	Recommended Weight kg
241634	Infant XXS	10-15
241636	Infant XS	15-25



# **BLA PFD** - Oceanmate Level 100 Australia Only

Traditional style foam PFD Level 100, approved to AS4758-100 and designed to be comfortably worn for general recreational boating applications in coastal and offshore waters. Features a lay back collar for head support, front zip closure with 25mm adjustable webbing strap and side release buckle, elasticised hem on all child sizes, layered foam and gusseted side panel. Child small sizes also include a neoprene padded adjustable webbing crotch strap with side release buckle for added security.





BLA Code	Size	Recommended Weight kg
241504	Child XS	10-15
241506	Child small	15-25
241508	Child junior	25-40
241512	Adult small-med	40-60
241514	Adult large	60 & over
241516	Adult XL	60 & over
241518	Adult XXL	60 & over
241520	Adult XXXL	60 & over

# **BLA PFD** - Coastmate Jacket Level 50

General purpose buoyancy vest, approved to AS4758-50. Suitable for all recreational water activities including sailing, canoeing, kayaking and use with towables. Features include layered foam, front zip closure, two 25mm wide webbing straps with adjustable side release buckles and gusseted side panels for a flexible and secure fit.





BLA Code	Size	Recommended Weight kg
241546	Child small	15-25
241548	Child junior	25-40
241552	Adult small-med	40-60
241554	Adult large	60 & over
241556	Adult XL	60 & over
241558	Adult XXL	60 & over

BLA

# **BLA PFD** - Wakemaster Neoprene Level 50S

BLA

Neoprene covered foam PFD Level 50S buoyancy vest approved to AS4758-50S. Designed specifically for active water sports such as skiing, knee boarding, wake boarding and use with towables. Features include soft flexible foam, two heavy duty webbing straps with adjustable side release buckles and gusseted side panels to produce a flexible and secure fit. A 25mm 'D' ring lanyard attachment point is also included on the adult sizes.



BLA Code	Size	Recommended Weight kg	Colour
241768	Child junior	25-40	Blue/Black
241772	Adult sm-med	40-60	Blue/Black
241774	Adult large	60 & over	Blue/Black
241776	Adult XL	60 & over	Blue/Black
241778	Adult XXL	60 & over	Blue/Black
241780	Adult XXXL	60 & over	Blue/Black

# **BLA PFD** - Wakemaster Neoprene Level 50

Neoprene covered foam PFD Level 50 buoyancy vest, approved to AS4758-50. Combination of soft neoprene cover and flexible foam produces a very comfortable vest suitable for all active water sports, including use on PWCs. Features include two heavy duty webbing straps with adjustable side release buckles and gusseted side panels to provide a flexible and secure fit. A 25mm 'D' ring lanyard attachment point is also included on the adult sizes.



BLA Code	Size	Recommended Weight kg	Colour
241746	Child small	15-25	Red/Black
241748	Child junior	25-40	Red/Black
241752	Adult sm-med	40-60	Red/Black
241754	Adult large	60 & over	Red/Black
241756	Adult XL	60 & over	Red/Black
241758	Adult XXL	60 & over	Red/Black



# **BLA PFD**

#### - Wakemaster Nylon Level 50S

Nylon covered foam PFD Level 50S buoyancy vest approved to AS4758-50S. Suitable for all water sport activities including skiing, knee boarding, wake boarding and use with towables. Features include soft flexible foam, three heavy duty webbing straps with adjustable side release buckles, gusseted side panels for a flexible and secure fit and a





BLA Code	Size	Recommended Weight kg	Colour
241728	Child junior	25-40	Blue/Black
241732	Adult sm-med	40-60	Blue/Black
241734	Adult large	60 & over	Blue/Black
241736	Adult XL	60 & over	Blue/Black
241738	Adult XXL	60 & over	Blue/Black
241740	Adult XXXL	60 & over	Blue/Black

# **BLA PFD**

## - Wakemaster Nylon Level 50

Nylon covered foam PFD Level 50 buoyancy vest, approved to AS4758-50. Designed for all active water sports such as water skiing, knee boarding, wake boarding and use with towables. This jacket is also suitable for PWCs. Features include soft flexible foam, three heavy duty webbing straps with adjustable side release buckles, gusseted side panels for flexible and secure fit and a 25mm 'D' ring lanyard attachment point on the adult sizes.

	BLA



BLA Code	Size	Recommended Weight kg	Colour
241708	Child junior	25-40	Red/Black
241712	Adult sm-med	40-60	Red/Black
241714	Adult large	60 & over	Red/Black
241716	Adult XL	60 & over	Red/Black
241718	Adult XXL	60 & over	Red/Black

# **BLA PFD** - Coastracer Level 50

The Coastracer sailing and general outdoor Level 50 vest approved to AS4785-50 provides outstanding comfort and wearability for a wide range of water activities. The high cut design with side entry zip combined with soft flexible foam ensures a body hugging fit for ultimate comfort. Features include adjustable side and waist webbing straps, elasticised expanding side gussets and shoulder straps, front meshed pocket for storage and bottom drainage.



BLA Code	Size	Recommended Weight kg
241560	XS	25-40
241562	Small	40-60
241564	Medium	60 & over
241566	Large	60 & over
241568	XL	60 & over

# **BLA PFD** - Blademate Level 50

Side closure PFD Level 50, primarily designed for canoe and kayak paddling but also popular with dinghy sailors. Features include webbing adjustable padded shoulder straps, internal webbing straps with side release buckles, mesh front pocket with hook and loop closure and layered foam to flex to the body shape. Compact design provides excellent freedom of arm and shoulder movement



BLA Code	Size	Recommended Weight kg
241678	Child junior	25-40
241680	Adult small-med	40-60
241682	Adult large	60 & over
241684	Adult XL	60 & over
241686	Adult XXL	60 & over

# **BLA PFD** - Blademaster Level 50

Designed for canoeing, kayaking and water sports activities where manoeuvrability and comfort are essential. Features fully adjustable side closure and adjustable padded webbing shoulder straps plus retro tape for safety. Includes two front pockets, one mesh, the other zippered nylon, both with pocket inserts, two 'D' ring attachments plus back hydro pack pocket. Constructed from layered foam providing flexibility and body comfort. Compact design provides excellent freedom of arm and shoulder movement when seated. Approved to AS4758-50.



.....

BLA Code	Size	Recommended Weight kg	Colour
241690	Adult small-med	40-60	Blue
241692	Adult large	60 & over	Blue
241694	Adult XL	60 & over	Blue
241696	Adult XXL	60 & over	Blue
241720	Female size 8	40-60	Fuschia
241722	Female size 10	60 & over	Fuschia
241724	Female size 12	60 & over	Fuschia
241726	Female size 14	60 & over	Fuschia
241727	Female size 16	60 & over	Fuschia



# **BLA PFD** - Bladepro Kayak Level 50/50S

A specific canoeing and kayaking vest the Bladepro is ideally suited to sea kayaking and kayak fishing. Packed with features and designed with extreme comfort and functionality in mind. The vest utilises multiple side, front and shoulder adjusters for the ultimate fit and security while the front zip provides easy access. Features include deep zippered front pockets plus a multitude of departmentalised expanding cargo pockets with adjustable side release buckles for security. Lanyard attachment ring, integrated expanding back hydration and cargo pocket plus reflective tape and trims complete the jacket. Approved to AS4785-50 or camouflage approved to AS4785-50S.



BLA Code	Size	Colour	Recommended Weight kg
241698	Adult small-med	Yellow	40-60
241699	Adult medium	Yellow	60 & over
241700	Adult large	Yellow	60 & over
241701	Adult XL	Yellow	60 & over
241702	Adult XXL	Yellow	60 & over
241703	Adult small-med	Camouflage	40-60
241704	Adult medium	Camouflage	60 & over
241705	Adult large	Camouflage	60 & over
241706	Adult XL	Camouflage	60 & over
241707	Adult XXL	Camouflage	60 & over

# **BLA Wetsuit Boots**

## - Traditional

Traditional wetsuit boots ideal for a wide range of boating and general outdoor activities. Manufactured from 4.5mm neoprene with heavy duty YKK zipper for ease of putting on and taking off. Features durable moulded non-marking anti-skid sole with additional ankle support. Available in a range of sizes from XXS to XXXL.



Code	
247040	05 XXS
247042	06 XS
247044	07 S
247046	08 M
247048	09 L
247050	10 XL

Size

**BLA** 

# **BLA Waterproof Bags**

## - Roll Top

Tough waterproof bags manufactured from reinforced PVC with welded seams. Large cylindrical opening with stiffening allows the top to be easily rolled creating a waterproof seal while the plastic clasp keeps the seal secure and provides a convenient lifting point. Available in a range of sizes.



BLA	Capacity	Size
Code	L	mm
244210	12	500x200
244212	20	500x250
244214	40	700x300



247052 11 XXL 247054

12 XXXL

**farz Optics** 

### **Barz Polarised Lenses - Acetate**

Barz Optics polarised acetate sunglasses are supplied standard with 1.1mm acetate polarised lenses which makes them 0.35mm thicker than the industry standard 0.75mm lens. The thicker 1.1mm lenses reduce distortion and increase impact resistance in the case of accidents.

Each model offers a uniquely styled frame and are available in polarised grey or amber tinted lenses for personal preference. All styles are supplied complete with a neoprene case and leash.



Barz Optics polycarbonate polarised lenses utilise an injection moulded multi-lamination manufacturing process (sandwich construction) which provides enhanced optical quality when compared to less expensive formed polycarbonate lenses.

Need a stand? Call BLA on 1300 252 725 for more information.





# **Barz Polarised Sunglasses**

#### - Palmy Acetate

The Palmy features a metal frame with adjustable nose pads. Available in gunmetal grey frame fitted with grey 1.1mm acetate polarised lenses or bronze frame fitted with amber 1.1mm acetate polarised lenses. Supplied with a neoprene case and a leash.



BLA Code	Frame Colour	Lens Colour
246010	Gunmetal	Grey
246014	Bronze	Amber

# **Barz Polarised Sunglasses**

#### - Nauru Acetate

.....

- Fiji

One of the most popular Barz frames available in a variety of lens variations. The wrap style frame flows around the temples while following the contours of the head giving maximum protection. Available in matte black frame with either grey, amber or mirror blue 1.1mm acetate polarised lens. Supplied with a neoprene case and a leash.



BLA Frame Code Colour		Lens Colour
246036	Matte Black	Grey
246038	Matte Black	Amber
246040	Matte Black	Mirror Blue

# **Barz Polarised Sunglasses**


### - Maui Acetate

The Maui is a sports styled half frame. TR90 hybrid matte black frame is available with grey or amber 1.1mm acetate polarised lenses. Supplied with a neoprene case and a leash.



BLA Code	Frame Colour	Lens Colour
246080	Matte Black	Grey
246082	Matte Black	Amber

**Barz Polarised Sunglasses** 





BLA Code	Frame Colour	Lens Colour
246028	Black Amb	
246030	Black	Grey
246032	Tortoise	Amber
246034	Tortoise	Grey



# **Barz Polarised Sunglasses**





Barz Optics introduces the 'Floater' sunglasses actually float even in the most turbulent salt or fresh water. The Floater's quality moulded TR90 frames are available in two unique colours and



feature grey polarised acetate lenses perfect for on-water wear.

The gloss carbon frame features highlighted grey temples and nose piece, while the matte grey frames feature apple green temples and nose piece. Supplied with a neoprene case and leash.

The gloss carbon frame features highlighted grey temples and nose piece, with moulded bi-focal reader sections at the base of the lens. Available in +1.50, +2.00 or +2.50 magnification. Supplied with a neoprene case and a leash.







BLA Code	Description	Frame Colour	Lens Colour	Magnification +
246104	Standard	Carbon	Grey	
246108	Standard	Grey	Grey	
246107	Standard	Black	Grey	
246109	Standard	Black	Amber	
246146	Standard	Black	Blue Mirror	
246106	Standard	Tortoise	Grey	
246144	Standard	Tortoise	Amber	
246148	Standard	Tortoise	Brown Mirror	
246242	Readers	Carbon	Grey	1.5
246244	Readers	Carbon	Grey	2.0
246246	Readers	Carbon	Grey	2.5
246236	Readers	Tortoise	Amber	1.5
246238	Readers	Tortoise	Amber	2.0
246240	Readers	Tortoise	Amber	2.5
246248	Photocromic	Black	Grey	1.5
246250	Photocromic	Black	Grey	2.0
246252	Photocromic	Black	Grey	2.5

# **Barz Polarised Sunglasses**

#### **Straddie Acetate Standard** and with Readers



The Straddie is a larger style frame and features side windows for additional peripheral vision and eye protection. An additional advantage of the Straddie is the wider accommodating nose

The reader lenses on the respective models are not polarised making them ideal for viewing digital instrumentation such as GPS units, mobile phones, fishfinders, watches or just reading a map, menu or tying fishing tackle. Available in matte black frame with either grey or amber acetate 1.1mm polarised lenses for great protection. The Reader models have low sitting non-polarised reader inserts in magnifications of +1.50, +2.00 or +2.50. Supplied with a neoprene case and a leash.



BLA Code	Description	Frame Colour	Lens Colour	Magnification +
246024	Standard	Matte Black	Grey	
246026	Standard	Matte Black	Amber	
246124	Readers	Matte Black	Grey	1.5
246126	Readers	Matte Black	Grey	2.0
246128	Readers	Matte Black	Grey	2.5
246130	Readers	Matte Black	Amber	1.5
246132	Readers	Matte Black	Amber	2.0
246134	Readers	Matte Black	Amber	2.5

# **Barz Polarised Sunglasses**



The Tofino is a wrap style with side windows. It suits medium size male or female face shapes. Lens options are polarised acetate or polarised acetate with non polarised readers in +1.50, +2.00 and + 2.50 making them ideal for reading digital screens, mobile phones, charts and similar. Supplied with a neoprene case and a fabric leash.



BLA Code	Description	Frame Colour	Lens Colour	Magnification +
246400	Standard	Black	Amber	
246402	Standard	Black	Grey	
246404	Standard	Tortoise	Amber	
246410	Readers	Tortoise	Amber	1.5
246412	Readers	Tortoise	Amber	2.0
246414	Readers	Tortoise	Amber	2.5

# **Barz Polarised Sunglasses**

- Cabo



The winner of the Australian Marine Industry - Most Innovative Exported Product, the Cabo is a floating frame fitted with polycarbonate high impact polarised lenses. It's available in standard polycarbonate polarised, polycarbonate polarised with small bi-focals in the bottom centimetre of the lens or our "World First" Polarised Photochromic bi-focal (the lens lightens to Cat2 in low light or darkens to Cat3 in full sun), (reader options are +1.50, +2.00 and +2.50). Supplied with a neoprene case and a leash.







BLA Code	Description	Frame Colour	Lens Colour	Magnification +
246350	Standard	Black	Grey	-
246352	Standard	Black	Amber	-
246354	Standard	Cabron	Grey	-
246356	Standard	Carbon	Amber	-
246360	Readers	Black	Grey	1.5
246362	Readers	Black	Grey	2.0
246364	Readers	Black	Grey	2.5
246370	Readers	Carbon	Amber	1.5
246372	Readers	Carbon	Amber	2.0
246374	Readers	Carbon	Amber	2.5
246380	Photocromic	Black	Grey	1.5
246382	Photocromic	Black	Grey	2.0
246384	Photocromic	Black	Grey	2.5

# **Barz Polarised Sunglasses**

- NIAS



The NIAS - conservative adult full frame sunglass. Fits most face shapes and is available with 1.1mm acetate grey, amber or blue mirror polarised lenses.

This frame can also be fitted with prescription lenses. Supplied with a neoprene case and a leash.



BLA Code	Frame Colour	Lens Colour
246050	Black	Grey
246052	Black	Amber

# **Barz Polarised Sunglasses**



#### - Tavarua

Floating styles to suit medium to larger male faces. Has a great protective wrap style and is fitted with 1.1mm acetate polarised lenses. Supplied with a neoprene case and a leash.





BLA Code	Frame Colour	Lens Colour
246420	Blue	Grey
246422	Grey	Grey

# **Barz Polarised Sunglasses**

- Grom



Kids polarised floating model - ideal for 7 to 14y/o sailing or fishing. Supplied with a neoprene case and a leash.



BLA Code	Frame Colour	Lens Colour
246390	White	Amber
246392	Carbon	Grey
246394	Carbon	Amber

# Barz Leash - Nylon & Fabric

Strong hard wearing braided nylon leash featuring flexible attachment loops and length adjustor. Available


in black, blue and

The fabric leash is extremely comfortable and easy-wearing, featuring push on attachment and length adjustor. Available in black, blue and red.



246310 246312 246314

BLA Code	Leash Colour	Material
246300	Black	Nylon
246302	Blue	Nylon
246310	Black	Fabric
246312	Blue	Fabric
246314	Red	Fabric





246300 246302 246304



# **Barz Polarised Sunglasses**

- Nauru Junior



A scaled down copy of one of our best selling adult styles. The Nauru has a great protective wrap and the temples follow the shape of the wearer head so won't fall off. Supplied with a neoprene case and a leash.



BLA Code	Frame Colour	Lens Colour
246396	Black	Grey
246398	Black	Amber

# Barz Leash - Cap/Hat Leash

Features two alligator clips joined by a short braided nylon leash. Simply clip one end to cap and other to shirt, jacket or buoyancy vest. Available in either white with black fleck or black with white fleck.



BLA Code	Leash Colour
246320	White/Black
246322	Black/White

# Barz Leash - Urethane

Urethane lightweight leash with rubberised tube ends designed to fit most glasses frames. The urethane is just over 2mm thick, and the total leash length is 570mm with no components to rust. Available in black, blue, red and yellow.

BLA Code	Leash Colour
246332	Black
246336	Red
246338	Yellow





246332 246336 246338

BLA Code 246330